

A.A.T.S.

Authentic/Accurate/Thorough/Swift

ADVANCED ANALYTICAL TESTING SERVICE, INC
10572 Acacia St, Ste C7-8, Rancho Cucamonga, CA 91730
clients@aatestingservice.com
909-467-6413
<http://www.aatestingservice.com>

Certificate of Analysis

Sensitive Information Removed

Sample	3161 Resolitol	Batch#	P2009105
Job#	A0000019822	Request#	RQF2022122001
		Received Date	12/20/2020

Test	Method	Claim	Result
Resveratrol 98%	HPLC	200.0-220.0 mg/capsule	214 mg/capsule
Rosemary Extract (Ursolic Acid 98%)	HPLC	100.0-110.0 mg/capsule	103 mg/capsule
Lead	USP	NMT 1.190 ppm	0.1322 ppm
Arsenic	USP	NMT 23.810 ppm	0.1004 ppm
Cadmium	USP	NMT 9.762 ppm	0.0822 ppm
Mercury	USP	NMT 0.714 ppm	Not Detected (<0.02 ppm)
Total Aerobic Microbial Count	USP	NMT 10,000 CFU/g	<1000 cfu/g
Total Y&M Count	USP	NMT 100 CFU/g	<100 cfu/g
E. Coli	USP	Absent/25mg	Absent/10g
Staphylococcus Aureus	USP	Absent/25mg	Absent/10g
Salmonella	USP	100mg/capsule	Absent/10g
Pesticides	USP	Complies	Complies

QA Manager

Sensitive Information Removed

Name (Print)

Sensitive Information Removed

Signature

m, c=US
Date: 2021.02.16 10:38:46 -08'00'

Date of Issue

02/14/2021